

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/23/2020

Reviewed on 06/23/2020

- **1** Identification
- · Product identifier
- · Trade name: Elevate Imaging Remanufactured Replacement Cartridge for HP® CE505A
- · Article number: AHWE5051B0RC
- · Application of the substance / the mixture Printing inks
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Static Control Components Inc. P.O. Box 152 Sanford, North Carolina, 27331
- info@scc-inc.com
- · Information department: Product Safety Department · Emergency telephone number: During Normal Operating Hours: 919-774-3808 Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

2 Hazard(s) identification

· Classification of the substance or mixture

- Combustible Dust May form combustible dust concentrations in air.
- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

| HEALTH 1 | Health = 1 |
|--------------|------------------|
| FIRE 1 | Fire = 1 |
| REACTIVITY 0 | Reactivity $= 0$ |

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Resin mixture

(Contd. on page 2)



Printing date 06/23/2020

Reviewed on 06/23/2020

Trade name: Elevate Imaging Remanufactured Replacement Cartridge for HP® CE505A

| | (Contd. of page 1 |
|------------------------------------|-------------------|
| · Dangerous components: | |
| 1333-86-4 Carbon black (bound) | >2.5-≤10% |
| · Non-hazardous components | |
| 25036-19-5 Styrene Acrylic Polymer | >50-≤100% |
| 9003-07-0 Polypropylene | >2.5-≤10% |

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

1333-86-4 Carbon black (bound)

9 mg/m³ (Contd. on page 3)



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/23/2020

Reviewed on 06/23/2020

Trade name: Elevate Imaging Remanufactured Replacement Cartridge for HP® CE505A

| | | (Contd. of page 2) |
|-------------|----------------------|-----------------------|
| | Polypropylene | 5.2 mg/m ³ |
| 112945-52-5 | Silicon Dioxide | 18 mg/m ³ |
| · PAC-2: | | |
| 1333-86-4 | Carbon black (bound) | 99 mg/m ³ |
| 9003-07-0 | Polypropylene | 58 mg/m ³ |
| 112945-52-5 | Silicon Dioxide | 100 mg/m ³ |
| · PAC-3: | | |
| 1333-86-4 | Carbon black (bound) | 590 mg/m ³ |
| 9003-07-0 | Polypropylene | 350 mg/m ³ |
| 112945-52-5 | Silicon Dioxide | 630 mg/m ³ |

7 Handling and storage

· Handling:

- · Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Store only in the original receptacle.
- [.] Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from humidity and water.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- \cdot Components with limit values that require monitoring at the workplace:
- 1333-86-4 Carbon black (bound)
- PEL Long-term value: 3.5 mg/m³

(Contd. on page 4)



Page 4/8

Printing date 06/23/2020

Reviewed on 06/23/2020

(Contd. of page 3)

Trade name: Elevate Imaging Remanufactured Replacement Cartridge for HP® CE505A

REL Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C

TLV Long-term value: 3* mg/m³ *inhalable fraction

• Additional Occupational Exposure Limit Values for possible hazards during processing: USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

· Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses

9 Physical and chemical properties

| · Information on basic physical and | chemical properties | |
|-------------------------------------|------------------------------|--------------------|
| · General Information | | |
| · Appearance: | | |
| Form: | Powder | |
| Color: | Black | |
| · Odor: | Odorless | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not applicable. | |
| · Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| · Flash point: | Not applicable. | |
| · Flammability (solid, gaseous): | Not determined. | |
| · Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not selfigniting. | |
| | | (Contd. on page 5) |



Printing date 06/23/2020

Reviewed on 06/23/2020

Trade name: Elevate Imaging Remanufactured Replacement Cartridge for HP® CE505A

| | | (Contd. of page 4) |
|---|---|--------------------|
| [•] Danger of explosion: | Product does not present an explosion hazard in its original state. | |
| · Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapor pressure: | Not applicable. | |
| · Density: | SG: 1.3-1.8 | |
| · Relative density | Not determined. | |
| · Vapor density | Not applicable. | |
| · Evaporation rate | Not applicable. | |
| · Solubility in / Miscibility with | | |
| Water: | Insoluble. | |
| · Partition coefficient (n-octanol/wate | r): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| · Solvent content: | | |
| VOC content: | 0.00 % | |
| Solids content: | 100.0 % | |
| • Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity Non reactive.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- · Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 6)



Printing date 06/23/2020

Reviewed on 06/23/2020

Trade name: Elevate Imaging Remanufactured Replacement Cartridge for HP® CE505A

(Contd. of page 5) When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1333-86-4 Carbon black (bound)

9003-07-0 Polypropylene

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

| | | Transport information |
|---------------|---|-----------------------------|
| G, ADR, RID,o | Not a regulated material under th ICAO/IATA. | · UN-Number |
| | Void | · DOT, ADR, ADN, IMDG, IATA |
| G, ADR, RID,o | Not a regulated material under the ICAO/IATA | · UN proper shipping name |
| (Co | e | |

Page 6/8

2B

3



Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/23/2020

Reviewed on 06/23/2020

Trade name: Elevate Imaging Remanufactured Replacement Cartridge for HP® CE505A

| | (Contd. of page |
|---|--|
| · DOT, ADR, ADN, IMDG, IATA | Void |
| Transport hazard class(es) | Not a regulated material under the United States DOT, IMDG, ADR, RID, o ICAO/IATA. |
| DOT, ADR, ADN, IMDG, IATA | |
| Class | Void |
| Packing group | Not a regulated material under the United States DOT, IMDG, ADR, RID, o ICAO/IATA. |
| DOT, ADR, IMDG, IATA | Void |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Not applicable. |
| Transport in bulk according to Annex II | of |
| MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

1333-86-4 Carbon black (bound)

9003-07-0 Polypropylene

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

1333-86-4 Carbon black (bound)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8)

ACTIVE

ACTIVE

JS —



Printing date 06/23/2020

Reviewed on 06/23/2020

(Contd. of page 7)

A4

Trade name: Elevate Imaging Remanufactured Replacement Cartridge for HP® CE505A

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

1333-86-4 Carbon black (bound)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

1333-86-4 Carbon black (bound)

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms Void

· Signal word Warning

· Hazard statements

May form combustible dust concentrations in air.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 06/23/2020 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

* * Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.

