

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/15/2020

Reviewed on 09/29/2017

- **1** Identification
- · Product identifier
- Trade name: Elevate Imaging Compatible Replacement Cartridge for HP®CF412X (Yellow)
- · Article number: AHWF4124C0N
- · Application of the substance / the mixture Printing inks
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Static Control Components Inc. P.O. Box 152
- Sanford, North Carolina, 27331 info@scc-inc.com
- · Information department: Product Safety Department · Emergency telephone number: During Normal Operating Hours: 919-774-3808 Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

2 Hazard(s) identification

· Classification of the substance or mixture

- Combustible Dust May form combustible dust concentrations in air.
- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 1	Fire = 1
REACTIVITY 0	Reactivity $= 0$

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Resin mixture

(Contd. on page 2)



Printing date 06/15/2020

Reviewed on 09/29/2017

Trade name: Elevate Imaging Compatible Replacement Cartridge for HP®CF412X (Yellow)

		(Contd. of page 1)
· Dangerous c	•	
8002-74-2 Pa	raffin waxes and Hydrocarbon waxes	>2.5-≤10%
· Non-hazardo	us components	
25085-34-1 H	Polymer	>50-≤100%
6358-31-2	Cellow Pigment	>2.5-≤10%
7631-86-9 s	ilicon dioxide, chemically prepared	>2.5-≤10%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- \cdot Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/15/2020

Reviewed on 09/29/2017

Trade name: Elevate Imaging Compatible Replacement Cartridge for HP®CF412X (Yellow)

· Protective Action Criteria for Chemicals	(Contd. of pa
PAC-1:	
7631-86-9 silicon dioxide, chemically prepared	18 mg/
PAC-2:	
7631-86-9 silicon dioxide, chemically prepared	740 mg/
PAC-3:	
7631-86-9 silicon dioxide, chemically prepared	4,500 mg

7 Handling and storage

· Handling:

- · Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from humidity and water.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

8002-74-2 Paraffin waxes and Hydrocarbon waxes

REL Long-term value: 2 mg/m³

TLV Long-term value: 2 mg/m³

• Additional Occupational Exposure Limit Values for possible hazards during processing: USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

(Contd. on page 4)

US



Page 4/8

Printing date 06/15/2020

· Vapor pressure:

Reviewed on 09/29/2017

Trade name: Elevate Imaging Compatible Replacement Cartridge for HP®CF412X (Yellow)

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion) UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. • Protection of hands: Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and from manufacturer to manufactures. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed by protection: Safety glasses • Jnformation on basic physical and chemical properties • General Information • Appearance: Form: Powder • Odor: Odorless • Odor threshold: Not determined. • Differentiation point/Boiling range: Undetermined. • PH-value: Not applicable. • Clange in condition Meting point/Boiling range: B		(Contd. of page 3
• Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. • Protection of hands: Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Safety glasses 9 Physical and chemical properties • General Information • Appearance: • Form: Powder Color: Yellow Odor: Odorless • Odor threshold: Not applicable. • Physical in condition Metermined. • pH-value: Not applicable. • Odor threshold: Not applicable. • Odor threshold: Not applicable. • Plas point: Not applicable. • Flash point:	TRGS 900 (Luftgrenzwert): 10 mg/m	3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)
 Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses 9 Physical and chemical properties General Information Appearance: Form: Powder Color: Yellow Odorless Odorless Odorless Odorles: Vallow: Not applicable. Flash point: Not applicable. Flash point: Not applicable. Flash point: Not applicable. Flash point: Not applicable. Flash point: Not determined. Ignition temperature: >300 °C (>572 °F) Decomposition temperature: Not determined. Quet cons not present an explosion hazard in its original state. Explosion limits: 		
9 Physical and chemical properties 9 Physical and chemical properties General Information Appearance: Form: Powder Color: Yellow Odor: Odorless Odor threshold: Not determined. • pH-value: Not applicable. • Change in condition Undetermined. Boiling point/Melting range: Undetermined. • Flash point: Not applicable. • Flash point: Not determined. • Ignition temperature: >300 °C (>572 °F) • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard in its original state.	 Personal protective equipment: General protective and hygienic me Wash hands before breaks and at the o Do not inhale dust / smoke / mist. Protection of hands: Selection of the glove material on con Material of gloves The selection of the suitable gloves of from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to b 	end of work. Isideration of the penetration times, rates of diffusion and the degradation does not only depend on the material, but also on further marks of quality and varies
Information on basic physical and chemical properties General Information Appearance: Form: Powder Color: Yellow Odor: Odorless Odor threshold: Not determined. pH-value: Not applicable. 'Change in condition Undetermined. Melting point/Melting range: Undetermined. 'Flash point: Not applicable. 'Flash point: Not applicable. 'Flash point: Not determined. 'Ignition temperature: >300 °C (>572 °F) 'Decomposition temperature: Not determined. 'Auto igniting: Product is not selfigniting. 'Danger of explosion: Product does not present an explosion hazard in its original state.	Lyc protection. Salety glasses	
General Information Powder Appearance: Form: Form: Powder Color: Yellow Odor: Odorless Odor threshold: Not determined. • pH-value: Not applicable. • Change in condition Undetermined. Melting point/Melting range: Undetermined. • Flash point: Not applicable. • Flash point: Not determined. • Flash point: Not determined. • Solo °C (>572 °F) Solo °C (>572 °F) • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Product oes not present an explosion hazard in its original state. • Explosion limits: Venduct does not present an explosion hazard in its original state.	9 Physical and chemical proper	ties
· Appearance:· PowderForm:PowderColor:· PowderOdor:· Odorless· Odor threshold:· Not determined.· pH-value:· Not applicable.· Change in condition Melting point/Melting range: Boiling point/Boiling range:· Undetermined.· Flash point:· Not applicable.· Flash point:· Not applicable.· Flash point:· Not determined.· Solo °C (>572 °F)· Decomposition temperature:· Solo °C (>572 °F)· Danger of explosion:· Product is not selfigniting.· Explosion limits:· Voduct does not present an explosion hazard in its original state.	· Information on basic physical and o	chemical properties
Form:PowderColor:YellowOdor:OdorlessOdor threshold:Not determined.pH-value:Not applicable.Change in condition Melting point/Melting range: Boiling point/Melting range:Undetermined.VIndetermined.Undetermined.* Flash point:Not applicable.* Flash point:Not determined.• Solo °C (>572 °F)• Decomposition temperature:>300 °C (>572 °F)• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Explosion limits:Product does not present an explosion hazard in its original state.		
Color:YellowOdor:OdorlessOdor threshold:Not determined.• pH-value:Not applicable.• Change in condition Melting point/Melting range: Boiling point/Boiling range:Undetermined.• Change in condition Melting point/Boiling range: Undetermined.Undetermined.• Flash point:Not applicable.• Flash point:Not applicable.• Flash point:Not determined.• Ignition temperature:>300 °C (>572 °F)• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard in its original state.• Explosion limits:Explosion limits:		Powder
· Odor threshold:Not determined.· pH-value:Not applicable.· Change in condition Melting point/Melting range: Boiling point/Boiling range:Undetermined. Undetermined.· Flash point:Not applicable.· Flash point:Not applicable.· Flammability (solid, gaseous):Not determined.· Ignition temperature:>300 °C (>572 °F)· Decomposition temperature:Not determined.· Auto igniting:Product is not selfigniting.· Danger of explosion:Product does not present an explosion hazard in its original state.· Explosion limits:Veloce is not present an explosion hazard in its original state.		
· pH-value:Not applicable.· Change in condition Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.· Flash point:Not applicable.· Flash point:Not determined.· Flammability (solid, gaseous):Not determined.· Ignition temperature:>300 °C (>572 °F)· Decomposition temperature:Not determined.· Auto igniting:Product is not selfigniting.· Danger of explosion:Product does not present an explosion hazard in its original state.· Explosion limits:Image: State Stat	Odor:	
· Change in condition Undetermined. Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. · Flammability (solid, gaseous): Not determined. · Ignition temperature: >300 °C (>572 °F) · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard in its original state. · Explosion limits: Value of the selfigniting.	· Odor threshold:	Not determined.
Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.· Flash point:Not applicable.· Flammability (solid, gaseous):Not determined.· Ignition temperature:>300 °C (>572 °F)· Decomposition temperature:Not determined.· Auto igniting:Product is not selfigniting.· Danger of explosion:Product does not present an explosion hazard in its original state.· Explosion limits:Volume table t	· pH-value:	Not applicable.
Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.Flash point:Not applicable.Flammability (solid, gaseous):Not determined.Ignition temperature:>300 °C (>572 °F)Decomposition temperature:Not determined.· Auto igniting:Product is not selfigniting.· Danger of explosion:Product does not present an explosion hazard in its original state.· Explosion limits:Undetermined.	· Change in condition	
• Flash point: Not applicable. • Flammability (solid, gaseous): Not determined. • Ignition temperature: >300 °C (>572 °F) • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard in its original state. • Explosion limits: Volume temperature:	Melting point/Melting range:	
· Flammability (solid, gaseous): Not determined. · Ignition temperature: >300 °C (>572 °F) · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard in its original state. · Explosion limits: Volume temperature:	Boiling point/Boiling range:	Undetermined.
· Ignition temperature: >300 °C (>572 °F) · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard in its original state. · Explosion limits: Vertice of explosion is the image.	· Flash point:	Not applicable.
• Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard in its original state. • Explosion limits: Vertical does not present an explosion hazard in its original state.	· Flammability (solid, gaseous):	Not determined.
· Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard in its original state. · Explosion limits: Vertical does not present an explosion hazard in its original state.	· Ignition temperature:	>300 °C (>572 °F)
· Danger of explosion: Product does not present an explosion hazard in its original state. · Explosion limits: Product does not present an explosion hazard in its original state.	· Decomposition temperature:	Not determined.
· Explosion limits:	· Auto igniting:	Product is not selfigniting.
	· Danger of explosion:	Product does not present an explosion hazard in its original state.
	· Explosion limits:	
Lower: Not determined. Unner: Not determined.		

Not applicable.

US



Printing date 06/15/2020

Reviewed on 09/29/2017

Trade name: Elevate Imaging Compatible Replacement Cartridge for HP®CF412X (Yellow)

		(Contd. of page 4)
· Density:	SG: 1.3-1.8	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with	l	
Water:	Insoluble.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
VOC content:	0.00 %	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity Non reactive.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- · Other information (about experimental toxicology):

Mutagenicity : Ames test Negative (According to the test result of similar composition.)

• Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide, chemically prepared

(Contd. on page 6)

Page 5/8



Printing date 06/15/2020

Reviewed on 09/29/2017

Trade name: Elevate Imaging Compatible Replacement Cartridge for HP®CF412X (Yellow)

(Contd. of page 5)

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	Not a regulated material under the United States DOT, IMDG, ADR, RID, CICAO/IATA.
DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA
DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA.
DOT, ADR, ADN, IMDG, IATA	
Class	Void
Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID, ICAO/IATA.



Page 7/8

Printing date 06/15/2020

Reviewed on 09/29/2017

Trade name: Elevate Imaging Compatible Replacement Cartridge for HP®CF412X (Yellow)

		(Contd. of page 6)
· DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara
 Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

[•] Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms Void

· Signal word Warning

(Contd. on page 8)

US -



Printing date 06/15/2020

Reviewed on 09/29/2017

(Contd. of page 7)

Trade name: Elevate Imaging Compatible Replacement Cartridge for HP®CF412X (Yellow)

· Hazard statements

May form combustible dust concentrations in air.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 06/15/2020 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit * * Data compared to the previous version altered. No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.